


Standard Loaded Lip Seals - Inch



ALTERNATIVE SEALS:
 Rod: US, DZ, BS-B,
 BLLS, UNRR, UNR, BS,
 BD, BT, BSLL
 Piston: UNP-AN, US,
 UNP, BP



EXAMPLE: 12502000		
Cross Section	Inside Diameter	Height
125	02000	HT = CS
1/8"	2"	1/8"

Standard Loaded Lip Seals can be used as rod or piston seals and are basically square in configuration. They are manufactured from high quality, 90 durometer polyurethane. They are also available in other materials; consult sales office for price and availability.

Temperature: -65°F to 200°F

Pressure: 0 to 5,000 PSI

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
1/8" CROSS SECTION ("F")				
12500062	0.062	0.312	0.125	0.618
12500093	0.093	0.343	0.125	0.618
12500125	0.125	0.375	0.125	0.618
12500140	0.140	0.390	0.125	0.618
12500187	0.187	0.437	0.125	0.618
12500250	0.250	0.500	0.125	0.618
12500312	0.312	0.562	0.125	0.618
12500375	0.375	0.625	0.125	0.618
12500437	0.437	0.687	0.125	0.618
12500500	0.500	0.750	0.125	0.618
12500531	0.531	0.781	0.125	0.618
12500562	0.562	0.812	0.125	0.618
12500625	0.625	0.875	0.125	0.618
12500687	0.687	0.937	0.125	0.618
12500750	0.750	1.000	0.125	0.618
12500812	0.812	1.062	0.125	0.618
12500875	0.875	1.125	0.125	0.618
12500906	0.906	1.156	0.125	0.618
12500937	0.937	1.187	0.125	0.618
12501000	1.000	1.250	0.125	0.618
12501062	1.062	1.312	0.125	0.618
12501125	1.125	1.375	0.125	0.618
12501187	1.187	1.437	0.125	0.618
12501250	1.250	1.500	0.125	0.618
12501312	1.312	1.562	0.125	0.618
12501375	1.375	1.625	0.125	0.618
12501437	1.437	1.687	0.125	0.618
12501500	1.500	1.750	0.125	0.618

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
1/8" CROSS SECTION ("F")				
12501562	1.562	1.812	0.125	0.618
12501625	1.625	1.875	0.125	0.618
12501750	1.750	2.000	0.125	0.618
12501875	1.875	2.125	0.125	0.618
12502000	2.000	2.250	0.125	0.618
12502125	2.125	2.375	0.125	0.618
12502250	2.250	2.500	0.125	0.618
12502375	2.375	2.625	0.125	0.618
12502500	2.500	2.750	0.125	0.618
12502625	2.625	2.875	0.125	0.618
12502750	2.750	3.000	0.125	0.618
12502875	2.875	3.125	0.125	0.618
12503000	3.000	3.250	0.125	0.618
12503250	3.250	3.500	0.125	0.618
12503500	3.500	3.750	0.125	0.618
12503750	3.750	4.000	0.125	0.618
12503875	3.875	4.125	0.125	0.618
12504000	4.000	4.250	0.125	0.618
12504375	4.375	4.625	0.125	0.618
12504500	4.500	4.750	0.125	0.618
12504750	4.750	5.000	0.125	0.618
12505000	5.000	5.250	0.125	0.618
12505750	5.750	6.000	0.125	0.618
5/32" CROSS SECTION ("F")				
15600750	0.750	1.062	0.156	0.172
15600937	0.937	1.250	0.156	0.172
15601000	1.000	1.312	0.156	0.172
15601187	1.187	1.500	0.156	0.172

Standard Loaded Lip Seals - Inch, cont'd.

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
5/32" CROSS SECTION ("F")				
15601250	1.250	1.562	0.156	0.172
15601375	1.375	1.687	0.156	0.172
15601500	1.500	1.812	0.156	0.172
3/16" CROSS SECTION ("F")				
18700187	0.187	0.562	0.187	0.206
18700250	0.250	0.625	0.187	0.206
18700312	0.312	0.687	0.187	0.206
18700375	0.375	0.750	0.187	0.206
18700437	0.437	0.812	0.187	0.206
18700500	0.500	0.875	0.187	0.206
18700562	0.562	0.937	0.187	0.206
18700625	0.625	1.000	0.187	0.206
18700656	0.656	1.031	0.187	0.206
18700687	0.687	1.062	0.187	0.206
18700750	0.750	1.125	0.187	0.206
18700812	0.812	1.187	0.187	0.206
18700875	0.875	1.250	0.187	0.206
18700937	0.937	1.312	0.187	0.206
18701000	1.000	1.375	0.187	0.206
18701062	1.062	1.437	0.187	0.206
18701125	1.125	1.500	0.187	0.206
18701187	1.187	1.562	0.187	0.206
18701250	1.250	1.625	0.187	0.206
18701312	1.312	1.687	0.187	0.206
18701375	1.375	1.750	0.187	0.206
18701500	1.500	1.875	0.187	0.206
18701562	1.562	1.937	0.187	0.206
18701625	1.625	2.000	0.187	0.206
18701687	1.687	2.062	0.187	0.206
18701750	1.750	2.125	0.187	0.206
18701875	1.875	2.250	0.187	0.206
18701937	1.937	2.312	0.187	0.206
18702000	2.000	2.375	0.187	0.206
18702125	2.125	2.500	0.187	0.206
18702250	2.250	2.625	0.187	0.206
18702375	2.375	2.750	0.187	0.206
18702500	2.500	2.875	0.187	0.206
18702625	2.625	3.000	0.187	0.206
18702750	2.750	3.125	0.187	0.206
18702875	2.875	3.250	0.187	0.206
18703000	3.000	3.375	0.187	0.206
18703125	3.125	3.500	0.187	0.206
18703250	3.250	3.625	0.187	0.206
18703375	3.375	3.750	0.187	0.206

18705125 Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
3/16" CROSS SECTION ("F")				
18703500	3.500	3.875	0.187	0.206
18703625	3.625	4.000	0.187	0.206
18703750	3.750	4.125	0.187	0.206
18703875	3.875	4.250	0.187	0.206
18704000	4.000	4.375	0.187	0.206
18704125	4.125	4.500	0.187	0.206
18704250	4.250	4.625	0.187	0.206
18704375	4.375	4.750	0.187	0.206
18704500	4.500	4.875	0.187	0.206
18704625	4.625	5.000	0.187	0.206
18704750	4.750	5.125	0.187	0.206
18704875	4.875	5.250	0.187	0.206
	5.125	5.500	0.187	0.206
18705250	5.250	5.625	0.187	0.206
18705687	5.687	6.062	0.187	0.206
18705875	5.875	6.250	0.187	0.206
18706000	6.000	6.375	0.187	0.206
7/32" CROSS SECTION ("F")				
21800312	0.312	0.750	0.218	0.240
21800750	0.750	1.187	0.218	0.240
21802062	2.062	2.500	0.218	0.240
21802562	2.562	3.000	0.218	0.240
21802812	2.812	3.250	0.218	0.240
21803000	3.000	3.437	0.218	0.240
1/4" CROSS SECTION ("F")				
25000250	0.250	0.750	0.250	0.275
25000312	0.312	0.812	0.250	0.275
25000375	0.375	0.875	0.250	0.275
25000437	0.437	0.937	0.250	0.275
25000500	0.500	1.000	0.250	0.275
25000562	0.562	1.062	0.250	0.275
25000625	0.625	1.125	0.250	0.275
25000687	0.687	1.187	0.250	0.275
25000750	0.750	1.250	0.250	0.275
25000812	0.812	1.312	0.250	0.275
25000875	0.875	1.375	0.250	0.275
25000937	0.937	1.437	0.250	0.275
25001000	1.000	1.500	0.250	0.275
25001062	1.062	1.562	0.250	0.275
25001125	1.125	1.625	0.250	0.275
25001187	1.187	1.687	0.250	0.275
25001250	1.250	1.750	0.250	0.275
25001312	1.312	1.812	0.250	0.275
25001375	1.375	1.875	0.250	0.275

Standard Loaded Lip Seals - Inch, cont'd.

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
1/4" CROSS SECTION ("F")				
25001437	1.437	1.937	0.250	0.275
25001500	1.500	2.000	0.250	0.275
25001625	1.625	2.125	0.250	0.275
25001750	1.750	2.250	0.250	0.275
25001875	1.875	2.375	0.250	0.275
25002000	2.000	2.500	0.250	0.275
25002125	2.125	2.625	0.250	0.275
25002250	2.250	2.750	0.250	0.275
25002375	2.375	2.875	0.250	0.275
25002500	2.500	3.000	0.250	0.275
25002625	2.625	3.125	0.250	0.275
25002750	2.750	3.250	0.250	0.275
25002875	2.875	3.375	0.250	0.275
25003000	3.000	3.500	0.250	0.275
25003125	3.125	3.625	0.250	0.275
25003250	3.250	3.750	0.250	0.275
25003375	3.375	3.875	0.250	0.275
25003500	3.500	4.000	0.250	0.275
25003625	3.625	4.125	0.250	0.275
25003750	3.750	4.250	0.250	0.275
25003875	3.875	4.375	0.250	0.275
25004000	4.000	4.500	0.250	0.275
25004125	4.125	4.625	0.250	0.275
25004250	4.250	4.750	0.250	0.275
25004375	4.375	4.875	0.250	0.275
25004500	4.500	5.000	0.250	0.275
25004625	4.625	5.125	0.250	0.275
25004750	4.750	5.250	0.250	0.275
25004875	4.875	5.375	0.250	0.275
25005000	5.000	5.500	0.250	0.275
25005125	5.125	5.625	0.250	0.275
25005250	5.250	5.750	0.250	0.275
25005375	5.375	5.875	0.250	0.275
25005500	5.500	6.000	0.250	0.275
25005625	5.625	6.125	0.250	0.275
25005750	5.750	6.250	0.250	0.275
25005875	5.875	6.375	0.250	0.275
25006000	6.000	6.500	0.250	0.275
25006250	6.250	6.750	0.250	0.275
25006500	6.500	7.000	0.250	0.275
25006750	6.750	7.250	0.250	0.275
25007000	7.000	7.500	0.250	0.275
25007125	7.125	7.625	0.250	0.275
25007250	7.250	7.750	0.250	0.275

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
1/4" CROSS SECTION ("F")				
25007500	7.500	8.000	0.250	0.275
25007750	7.750	8.250	0.250	0.275
25008000	8.000	8.500	0.250	0.275
25008250	8.250	8.750	0.250	0.275
25008500	8.500	9.000	0.250	0.275
25008750	8.750	9.250	0.250	0.275
25009000	9.000	9.500	0.250	0.275
25009250	9.250	9.750	0.250	0.275
25009500	9.500	10.000	0.250	0.275
25009750	9.750	10.250	0.250	0.275
25010000	10.000	10.500	0.250	0.275
25010500	10.500	11.000	0.250	0.275
25010875	10.875	11.375	0.250	0.275
25011000	11.000	11.500	0.250	0.275
25011250	11.250	11.750	0.250	0.275
25011500	11.500	12.000	0.250	0.275
25012000	12.000	12.500	0.250	0.275
25013000	13.000	13.500	0.250	0.275
25013500	13.500	14.000	0.250	0.275
25014000	14.000	14.500	0.250	0.275
25024000	24.000	24.500	0.250	0.275
9/32" CROSS SECTION ("F")				
28104437	4.437	5.000	0.281	0.309
28105000	5.000	5.562	0.281	0.309
28105437	5.437	6.000	0.281	0.309
28106437	6.437	7.000	0.281	0.309
5/16" CROSS SECTION ("F")				
31200375	0.375	1.000	0.312	0.343
31200500	0.500	1.125	0.312	0.343
31200625	0.625	1.250	0.312	0.343
31200750	0.750	1.375	0.312	0.343
31200875	0.875	1.500	0.312	0.343
31201000	1.000	1.625	0.312	0.343
31201062	1.062	1.687	0.312	0.343
31201125	1.125	1.750	0.312	0.343
31201187	1.187	1.812	0.312	0.343
31201250	1.250	1.875	0.312	0.343
31201312	1.312	1.937	0.312	0.343
31201375	1.375	2.000	0.312	0.343
31201500	1.500	2.125	0.312	0.343
31201625	1.625	2.250	0.312	0.343
31201750	1.750	2.375	0.312	0.343
31201875	1.875	2.500	0.312	0.343
31201937	1.937	2.562	0.312	0.343

Standard Loaded Lip Seals - Inch, cont'd.

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
5/16" CROSS SECTION ("F")				
31202000	2.000	2.625	0.312	0.343
31202125	2.125	2.750	0.312	0.343
31202250	2.250	2.875	0.312	0.343
31202375	2.375	3.000	0.312	0.343
31202500	2.500	3.125	0.312	0.343
31202625	2.625	3.250	0.312	0.343
31202750	2.750	3.375	0.312	0.343
31202875	2.875	3.500	0.312	0.343
31203000	3.000	3.625	0.312	0.343
31203125	3.125	3.750	0.312	0.343
31203250	3.250	3.875	0.312	0.343
31203375	3.375	4.000	0.312	0.343
31203500	3.500	4.125	0.312	0.343
31203625	3.625	4.250	0.312	0.343
31203750	3.750	4.375	0.312	0.343
31203875	3.875	4.500	0.312	0.343
31204000	4.000	4.625	0.312	0.343
31204125	4.125	4.750	0.312	0.343
31204250	4.250	4.875	0.312	0.343
31204375	4.375	5.000	0.312	0.343
31204500	4.500	5.125	0.312	0.343
31204750	4.750	5.375	0.312	0.343
31204875	4.875	5.500	0.312	0.343
31205000	5.000	5.625	0.312	0.343
31205250	5.250	5.875	0.312	0.343
31205375	5.375	6.000	0.312	0.343
31205500	5.500	6.125	0.312	0.343
31205750	5.750	6.375	0.312	0.343
31205875	5.875	6.500	0.312	0.343
31206125	6.125	6.750	0.312	0.343
31206250	6.250	6.875	0.312	0.343
31206375	6.375	7.000	0.312	0.343
31206500	6.500	7.125	0.312	0.343
31206625	6.625	7.250	0.312	0.343
31206750	6.750	7.375	0.312	0.343
31207000	7.000	7.625	0.312	0.343
31207250	7.250	7.875	0.312	0.343
31207375	7.375	8.000	0.312	0.343
31207500	7.500	8.125	0.312	0.343
31207750	7.750	8.375	0.312	0.343
31208000	8.000	8.625	0.312	0.343
31208250	8.250	8.875	0.312	0.343
31208500	8.500	9.125	0.312	0.343

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
11/32" CROSS SECTION ("F")				
34309312	9.312	10.000	0.343	0.377
3/8" CROSS SECTION ("F")				
37500625	0.625	1.375	0.375	0.412
37500875	0.875	1.625	0.375	0.412
37501000	1.000	1.750	0.375	0.412
37501125	1.125	1.875	0.375	0.412
37501250	1.250	2.000	0.375	0.412
37501312	1.312	2.062	0.375	0.412
37501375	1.375	2.125	0.375	0.412
37501500	1.500	2.250	0.375	0.412
37501625	1.625	2.375	0.375	0.412
37501750	1.750	2.500	0.375	0.412
37501875	1.875	2.625	0.375	0.412
37502000	2.000	2.750	0.375	0.412
37502062	2.062	2.812	0.375	0.412
37502125	2.125	2.875	0.375	0.412
37502250	2.250	3.000	0.375	0.412
37502375	2.375	3.125	0.375	0.412
37502500	2.500	3.250	0.375	0.412
37502625	2.625	3.375	0.375	0.412
37502750	2.750	3.500	0.375	0.412
37502875	2.875	3.625	0.375	0.412
37502937	2.937	3.687	0.375	0.412
37503000	3.000	3.750	0.375	0.412
37503125	3.125	3.875	0.375	0.412
37503250	3.250	4.000	0.375	0.412
37503375	3.375	4.125	0.375	0.412
37503500	3.500	4.250	0.375	0.412
37503625	3.625	4.375	0.375	0.412
37503750	3.750	4.500	0.375	0.412
37503875	3.875	4.625	0.375	0.412
37504000	4.000	4.750	0.375	0.412
37504125	4.125	4.875	0.375	0.412
37504250	4.250	5.000	0.375	0.412
37504375	4.375	5.125	0.375	0.412
37504500	4.500	5.250	0.375	0.412
37504625	4.625	5.375	0.375	0.412
37504750	4.750	5.500	0.375	0.412
37504875	4.875	5.625	0.375	0.412
37505000	5.000	5.750	0.375	0.412
37505125	5.125	5.875	0.375	0.412
37505250	5.250	6.000	0.375	0.412
37505375	5.375	6.125	0.375	0.412

Standard Loaded Lip Seals - Inch, cont'd.

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
3/8" CROSS SECTION ("F")				
37505500	5.500	6.250	0.375	0.412
37505625	5.625	6.375	0.375	0.412
37505750	5.750	6.500	0.375	0.412
37506000	6.000	6.750	0.375	0.412
37506250	6.250	7.000	0.375	0.412
37506500	6.500	7.250	0.375	0.412
37506750	6.750	7.500	0.375	0.412
37507000	7.000	7.750	0.375	0.412
37507250	7.250	8.000	0.375	0.412
37507500	7.500	8.250	0.375	0.412
37507625	7.625	8.375	0.375	0.412
37507750	7.750	8.500	0.375	0.412
37508000	8.000	8.750	0.375	0.412
37508250	8.250	9.000	0.375	0.412
37508500	8.500	9.250	0.375	0.412
37509000	9.000	9.750	0.375	0.412
37509250	9.250	10.000	0.375	0.412
37509500	9.500	10.250	0.375	0.412
37509750	9.750	10.500	0.375	0.412
37510250	10.250	11.000	0.375	0.412
37510500	10.500	11.250	0.375	0.412
37510750	10.750	11.500	0.375	0.412
37511000	11.000	11.750	0.375	0.412
37511250	11.250	12.000	0.375	0.412
37511500	11.500	12.250	0.375	0.412
37512000	12.000	12.750	0.375	0.412
37512250	12.250	13.000	0.375	0.412
37512750	12.750	13.500	0.375	0.412
37513000	13.000	13.750	0.375	0.412
37513250	13.250	14.000	0.375	0.412
37513500	13.500	14.250	0.375	0.412
37513750	13.750	14.500	0.375	0.412
37514000	14.000	14.750	0.375	0.412
37514500	14.500	15.250	0.375	0.412
37515000	15.000	15.750	0.375	0.412
37515500	15.500	16.250	0.375	0.412
37515750	15.750	16.500	0.375	0.412
37516250	16.250	17.000	0.375	0.412
37517250	17.250	18.000	0.375	0.412
37523000	23.000	23.750	0.375	0.412
7/16" CROSS SECTION ("F")				
43701000	1.000	1.875	0.437	0.481
43701375	1.375	2.250	0.437	0.481

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
7/16" CROSS SECTION ("F")				
43701437	1.437	2.312	0.437	0.481
43701500	1.500	2.375	0.437	0.481
43701875	1.875	2.750	0.437	0.481
43702000	2.000	2.875	0.437	0.481
43702125	2.125	3.000	0.437	0.481
43702875	2.875	3.750	0.437	0.481
43703000	3.000	3.875	0.437	0.481
43703125	3.125	4.000	0.437	0.481
43704750	4.750	5.625	0.437	0.481
43705125	5.125	6.000	0.437	0.481
1/2" CROSS SECTION ("F")				
50001000	1.000	2.000	0.500	0.550
50001312	1.312	2.312	0.500	0.550
50001375	1.375	2.375	0.500	0.550
50001500	1.500	2.500	0.500	0.550
50001875	1.875	2.875	0.500	0.550
50002000	2.000	3.000	0.500	0.550
50002250	2.250	3.250	0.500	0.550
50002375	2.375	3.375	0.500	0.550
50002500	2.500	3.500	0.500	0.550
50002750	2.750	3.750	0.500	0.550
50003000	3.000	4.000	0.500	0.550
50003250	3.250	4.250	0.500	0.550
50003500	3.500	4.500	0.500	0.550
50003750	3.750	4.750	0.500	0.550
50004000	4.000	5.000	0.500	0.550
50004125	4.125	5.125	0.500	0.550
50004250	4.250	5.250	0.500	0.550
50004500	4.500	5.500	0.500	0.550
50004750	4.750	5.750	0.500	0.550
50005000	5.000	6.000	0.500	0.550
50005125	5.125	6.125	0.500	0.550
50005250	5.250	6.250	0.500	0.550
50005375	5.375	6.375	0.500	0.550
50005500	5.500	6.500	0.500	0.550
50005750	5.750	6.750	0.500	0.550
50006000	6.000	7.000	0.500	0.550
50006250	6.250	7.250	0.500	0.550
50006500	6.500	7.500	0.500	0.550
50006750	6.750	7.750	0.500	0.550
50007000	7.000	8.000	0.500	0.550
50007250	7.250	8.250	0.500	0.550
50007375	7.375	8.375	0.500	0.550

Standard Loaded Lip Seals - Inch, cont'd.

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
1/2" CROSS SECTION ("F")				
50007500	7.500	8.500	0.500	0.550
50008000	8.000	9.000	0.500	0.550
50008125	8.125	9.125	0.500	0.550
50008250	8.250	9.250	0.500	0.550
50008500	8.500	9.500	0.500	0.550
50008750	8.750	9.750	0.500	0.550
50009000	9.000	10.000	0.500	0.550
50009500	9.500	10.500	0.500	0.550
50009750	9.750	10.750	0.500	0.550
50010750	10.750	11.750	0.500	0.550
50011000	11.000	12.000	0.500	0.550
50011500	11.500	12.500	0.500	0.550
50011750	11.750	12.750	0.500	0.550
50012000	12.000	13.000	0.500	0.550
50012750	12.750	13.750	0.500	0.550
50013000	13.000	14.000	0.500	0.550
50014000	14.000	15.000	0.500	0.550
50014500	14.500	15.500	0.500	0.550
50015000	15.000	16.000	0.500	0.550
50016000	16.000	17.000	0.500	0.550
50017000	17.000	18.000	0.500	0.550
50019000	19.000	20.000	0.500	0.550
50020000	20.000	21.000	0.500	0.550
50021000	21.000	22.000	0.500	0.550
50036000	36.000	37.000	0.500	0.550
9/16" CROSS SECTION ("F")				
56205500	5.500	6.625	0.562	0.618
5/8" CROSS SECTION ("F")				
62502000	2.000	3.250	0.625	0.687
62502500	2.500	3.750	0.625	0.687
62502750	2.750	4.000	0.625	0.687
62503000	3.000	4.250	0.625	0.687
62503250	3.250	4.500	0.625	0.687
62503375	3.375	4.625	0.625	0.688
62503750	3.750	5.000	0.625	0.687
62504000	4.000	5.250	0.625	0.687
62504250	4.250	5.500	0.625	0.687
62504500	4.500	5.750	0.625	0.687
62505000	5.000	6.250	0.625	0.687
62505500	5.500	6.750	0.625	0.687

Part Number	Groove Diameter d	Bore Diameter D	Seal Height L ₁	Groove Height L
5/8" CROSS SECTION ("F")				
62505750	5.750	7.000	0.625	0.687
62506000	6.000	7.250	0.625	0.687
62506250	6.250	7.500	0.625	0.687
62506500	6.500	7.750	0.625	0.687
62506750	6.750	8.000	0.625	0.687
62507000	7.000	8.250	0.625	0.687
62508000	8.000	9.250	0.625	0.687
62508250	8.250	9.500	0.625	0.687
62508500	8.500	9.750	0.625	0.687
62508625	8.625	9.875	0.625	0.687
62509000	9.000	10.250	0.625	0.687
62509750	9.750	11.000	0.625	0.687
62510000	10.000	11.250	0.625	0.687
62510500	10.500	11.750	0.625	0.687
62511000	11.000	12.250	0.625	0.687
62513000	13.000	14.250	0.625	0.687
62516750	16.750	18.000	0.625	0.687
62520000	20.000	21.250	0.625	0.687
62524750	24.750	26.000	0.625	0.687
3/4" CROSS SECTION ("F")				
75003500	3.500	5.000	0.750	0.825
75004000	4.000	5.500	0.750	0.825
75005000	5.000	6.500	0.750	0.825
75007000	7.000	8.500	0.750	0.825
75007500	7.500	9.000	0.750	0.825
75008250	8.250	9.750	0.750	0.825
75008500	8.500	10.000	0.750	0.825
75009000	9.000	10.500	0.750	0.825
75009500	9.500	11.000	0.750	0.825
75010500	10.500	12.000	0.750	0.825
75012000	12.000	13.500	0.750	0.825
75012500	12.500	14.000	0.750	0.825
75014000	14.000	15.500	0.750	0.825
75016000	16.000	17.500	0.750	0.825
75018000	18.000	19.500	0.750	0.825
75019000	19.000	20.500	0.750	0.825
75026000	26.000	27.500	0.750	0.825
1" CROSS SECTION ("F")				
100004000	4.000	6.000	1.000	1.100
100007500	7.500	9.500	1.000	1.100