

O-Ring Size Comparison Chart

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GERMANY	BRITAIN	FRANCE	JAPAN
2-001	0.029	0.040	0.74	1.02	X		X			
2-002	0.042	0.050	1.07	1.27	X		X			
M115-100	0.045	0.039	1.15	1.00				X		
2-102	0.049	0.103	1.24	2.62	X		X			
2-003	0.056	0.060	1.42	1.52	X		X			
M178-102	0.070	0.040	1.78	1.02			X			
2-004	0.070	0.070	1.78	1.78	X		X			
M180-180	0.071	0.071	1.80	1.80	X					
M200-180	0.079	0.071	2.00	1.80	X					
2-103	0.081	0.103	2.06	2.62	X		X			
M220-160	0.087	0.063	2.20	1.60				X		
M224-180	0.088	0.071	2.24	1.80	X					
M240-190	0.094	0.075	2.40	1.90				X		S3
M250-150	0.098	0.059	2.50	1.50						
M250-180	0.098	0.071	2.50	1.80	X					
M254-102	0.100	0.040	2.54	1.02			X			
2-005	0.101	0.070	2.57	1.78	X		X			
M260-190	0.102	0.075	2.60	1.90				X		
M280-180	0.110	0.071	2.80	1.80	X					P3
M280-190	0.110	0.075	2.80	1.90						
2-104	0.112	0.103	2.84	2.62	X		X			
2-006	0.114	0.070	2.90	1.78	X		X			
M300-150	0.118	0.059	3.00	1.50			X			
M300-200	0.118	0.079	3.00	2.00			X			
M300-300	0.118	0.118	3.00	3.00			X			
M310-160	0.122	0.063	3.10	1.60		X	X			
M315-180	0.124	0.071	3.15	1.80	X					
M317-178	0.125	0.070	3.17	1.78			X			
M330-240	0.130	0.094	3.30	2.40		X				
M340-190	0.134	0.075	3.40	1.90				X		
M350-150	0.138	0.059	3.50	1.50						S4
M355-180	0.140	0.071	3.55	1.80	X					
M360-240	0.141	0.094	3.60	2.40			X			
2-105	0.143	0.103	3.63	2.62	X		X			
2-007	0.145	0.070	3.68	1.78	X		X			
M375-180	0.148	0.071	3.75	1.80	X					
M380-190	0.150	0.075	3.80	1.90						P4
M400-150	0.157	0.059	4.00	1.50			X			
M400-180	0.157	0.071	4.00	1.80	X					
M400-200	0.157	0.079	4.00	2.00			X			
M400-250	0.157	0.098	4.00	2.50			X			
M400-300	0.157	0.118	4.00	3.00			X			
M400-400	0.157	0.157	4.00	4.00			X			
M400-500	0.157	0.197	4.00	5.00			X			
M410-160	0.161	0.063	4.10	1.60		X	X			
M420-190	0.165	0.075	4.20	1.90				X		
M430-240	0.169	0.094	4.30	2.40		X				
2-201	0.171	0.139	4.34	3.53	X		X			
2-106	0.174	0.103	4.42	2.62	X		X			
2-008	0.176	0.070	4.47	1.78	X		X			
M450-150	0.177	0.059	4.50	1.50						S5
M450-180	0.177	0.071	4.50	1.80	X					
M450-265	0.177	0.104	4.50	2.65	X					
M460-240	0.181	0.094	4.60	2.40			X			
3-901	0.185	0.056	4.70	1.42	X		X			
M476-178	0.187	0.070	4.76	1.78			X			
M480-190	0.189	0.075	4.80	1.90						P5
M487-180	0.192	0.071	4.87	1.80						
M490-190	0.193	0.075	4.90	1.90				X		
M500-150	0.197	0.059	5.00	1.50			X			
M500-180	0.197	0.071	5.00	1.80	X					
M500-200	0.197	0.079	5.00	2.00			X			
M500-250	0.197	0.098	5.00	2.50			X			
M500-300	0.197	0.118	5.00	3.00			X			
M500-400	0.197	0.157	5.00	4.00			X			
M500-500	0.197	0.197	5.00	5.00			X			
M510-160	0.201	0.063	5.10	1.60		X	X			
M515-180	0.203	0.071	5.15	1.80	X					
2-107	0.206	0.103	5.23	2.62	X		X			
2-009	0.208	0.070	5.28	1.78	X		X			
M530-180	0.209	0.071	5.30	1.80	X					
M530-240	0.209	0.094	5.30	2.40		X				
M530-265	0.209	0.104	5.30	2.65	X					
M550-150	0.217	0.059	5.50	1.50						
M560-180	0.220	0.071	5.60	1.80	X					
M560-240	0.220	0.094	5.60	2.40				X		
M570-190	0.224	0.075	5.70	1.90				X		
M576-240	0.226	0.094	5.76	2.40			X			P6
M580-190	0.228	0.075	5.80	1.90						
2-202	0.234	0.139	5.94	3.53	X		X			
M596-240	0.235	0.094	5.96	2.40			X			
M600-150	0.236	0.059	6.00	1.50			X			
M600-180	0.236	0.071	6.00	1.80	X					
M600-200	0.236	0.079	6.00	2.00			X			
M600-220	0.236	0.087	6.00	2.20				X		
M600-250	0.236	0.098	6.00	2.50			X			
M600-265	0.236	0.104	6.00	2.65	X					
M600-300	0.236	0.118	6.00	3.00			X			
M600-400	0.236	0.157	6.00	4.00			X			
M600-500	0.236	0.197	6.00	5.00			X			
2-108	0.237	0.103	6.02	2.62	X		X			
3-902	0.239	0.064	6.07	1.63	X		X			
2-010	0.239	0.070	6.07	1.78	X		X			
M610-160	0.240	0.063	6.10	1.60		X	X			
M630-180	0.248	0.071	6.30	1.80	X					
M630-240	0.248	0.094	6.30	2.40		X				
M635-178	0.250	0.070	6.35	1.78				X		
M640-190	0.252	0.075	6.40	1.90				X		
M650-150	0.256	0.059	6.50	1.50						S7
M660-240	0.260	0.094	6.60	2.40			X			
M670-180	0.264	0.071	6.70	1.80	X					
M675-178	0.266	0.070	6.75	1.78			X			
M680-190	0.268	0.075	6.80	1.90						P7
M690-180	0.272	0.071	6.90	1.80	X					
M690-265	0.272	0.104	6.90	2.65	X					
M700-150	0.276	0.059	7.00	1.50			X			
M700-200	0.276	0.079	7.00	2.00			X			
M700-250	0.276	0.098	7.00	2.50			X			
M700-300	0.276	0.118	7.00	3.00			X			
M700-400	0.276	0.157	7.00	4.00			X			
M700-500	0.276	0.197	7.00	5.00			X			
M710-160	0.280	0.063	7.10	1.60		X	X			
M710-180	0.280	0.071	7.10	1.80	X					
M720-190	0.283	0.075	7.20	1.90				X		

*Chart for comparison only. Not all sizes stocked.



O-Ring Size Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN	Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN
2-116	0.737	0.103	18.72	2.62	X		X		2-212	0.859	0.139	21.82	3.53	X		X	
2-018	0.739	0.070	18.77	1.78	X		X		M2190-200	0.862	0.079	21.90	2.00				S22.4
M1900-150	0.748	0.059	19.00	1.50		X			2-118	0.862	0.103	21.89	2.62	X		X	
M1900-180	0.748	0.071	19.00	1.80	X				3-911	0.863	0.116	21.92	2.95	X		X	
M1900-200	0.748	0.079	19.00	2.00		X			2-020	0.864	0.070	21.95	1.78	X		X	
M1900-250	0.748	0.098	19.00	2.50		X			M2200-150	0.866	0.059	22.00	1.50		X		
M1900-265	0.748	0.104	19.00	2.65	X				M2200-200	0.866	0.079	22.00	2.00		X		
M1900-300	0.748	0.118	19.00	3.00		X			M2200-250	0.866	0.098	22.00	2.50		X		
M1900-350	0.748	0.138	19.00	3.50		X			M2200-300	0.866	0.118	22.00	3.00		X		
M1900-355	0.748	0.140	19.00	3.55	X				M2200-350	0.866	0.138	22.00	3.50		X		
M1900-400	0.748	0.157	19.00	4.00		X			M2200-400	0.866	0.157	22.00	4.00		X		
M1900-500	0.748	0.197	19.00	5.00		X			M2200-500	0.866	0.197	22.00	5.00		X		
M1910-160	0.752	0.063	19.10	1.60		X	X		M2210-160	0.870	0.063	22.10	1.60		X	X	
3-910	0.755	0.097	19.77	2.46	X		X		M2210-350	0.870	0.138	22.10	3.50				P22.4
M1920-300	0.756	0.118	19.20	3.00		X			M2220-300	0.874	0.118	22.20	3.00		X		
M1930-240	0.760	0.094	19.30	2.40		X			M2222-262	0.875	0.103	22.22	2.62			X	
M1950-150	0.768	0.059	19.50	1.50				S20	M2230-240	0.878	0.094	22.30	2.40		X		
M1960-240	0.772	0.094	19.60	2.40			X		M2240-180	0.882	0.071	22.40	1.80	X			
M1980-240	0.780	0.094	19.80	2.40				P20	M2240-265	0.882	0.104	22.40	2.65	X			
M1980-360	0.780	0.142	19.80	3.60			X		M2240-355	0.882	0.140	22.40	3.55	X			
M2000-150	0.787	0.059	20.00	1.50		X			M2300-150	0.906	0.059	23.00	1.50		X		
M2000-180	0.787	0.071	20.00	1.80	X				M2300-200	0.906	0.079	23.00	2.00		X		
M2000-200	0.787	0.079	20.00	2.00		X			M2300-250	0.906	0.098	23.00	2.50		X		
M2000-250	0.787	0.098	20.00	2.50		X			M2300-300	0.906	0.118	23.00	3.00		X		
M2000-265	0.787	0.104	20.00	2.65	X				M2300-350	0.906	0.138	23.00	3.50		X		
M2000-300	0.787	0.118	20.00	3.00		X			M2300-360	0.906	0.142	23.00	3.60			X	
M2000-350	0.787	0.138	20.00	3.50		X			M2300-400	0.906	0.157	23.00	4.00		X		
M2000-355	0.787	0.140	20.00	3.55	X				M2300-500	0.906	0.197	23.00	5.00		X		
M2000-400	0.787	0.157	20.00	4.00		X			2-317	0.912	0.210	23.16	5.33	X		X	
M2000-500	0.787	0.197	20.00	5.00		X			M2330-240	0.917	0.094	23.30	2.40		X		
2-315	0.787	0.210	19.99	5.33	X		X		2-213	0.921	0.139	23.39	3.53	X		X	
M2010-160	0.791	0.063	20.10	1.60		X	X		2-119	0.924	0.103	23.47	2.62	X		X	
M2020-300	0.795	0.118	20.20	3.00		X			3-912	0.924	0.116	23.47	2.95	X		X	
2-211	0.796	0.139	20.22	3.53	X		X		M2350-200	0.925	0.079	23.50	2.00				S24
M2030-240	0.799	0.094	20.30	2.40		X			M2350-400	0.925	0.157	23.50	4.00				V24
2-117	0.799	0.103	20.29	2.62	X		X		2-021	0.926	0.070	23.52	1.78	X		X	
2-019	0.801	0.070	20.35	1.78	X		X		M2360-180	0.929	0.071	23.60	1.80	X	X		
M2064-262	0.813	0.103	20.64	2.62			X		M2360-265	0.929	0.104	23.60	2.65	X			
M2080-240	0.819	0.094	20.80	2.40				P21	M2360-355	0.929	0.140	23.60	3.55	X			
M2100-150	0.827	0.059	21.00	1.50		X			M2370-350	0.933	0.138	23.70	3.50				P24
M2100-200	0.827	0.079	21.00	2.00		X			M2381-262	0.937	0.103	23.81	2.62			X	
M2100-250	0.827	0.098	21.00	2.50		X			M2400-150	0.945	0.059	24.00	1.50		X		
M2100-300	0.827	0.118	21.00	3.00		X			M2400-200	0.945	0.079	24.00	2.00		X		
M2100-350	0.827	0.138	21.00	3.50		X			M2400-250	0.945	0.098	24.00	2.50		X		
M2100-400	0.827	0.157	21.00	4.00		X			M2400-300	0.945	0.118	24.00	3.00		X		
M2100-500	0.827	0.197	21.00	5.00		X			M2400-350	0.945	0.138	24.00	3.50		X		
M2110-160	0.831	0.063	21.10	1.60		X	X		M2400-400	0.945	0.157	24.00	4.00		X		
M2120-180	0.835	0.071	21.20	1.80	X				M2400-500	0.945	0.197	24.00	5.00		X		
M2120-265	0.835	0.104	21.20	2.65	X				M2420-300	0.953	0.118	24.20	3.00		X		
M2120-300	0.835	0.118	21.20	3.00		X			M2440-310	0.961	0.122	24.40	3.10		X		G25
M2120-355	0.835	0.140	21.20	3.55	X				M2450-200	0.965	0.079	24.50	2.00				S25
M2130-240	0.839	0.094	21.30	2.40		X			M2460-240	0.969	0.094	24.60	2.40			X	
M2130-360	0.839	0.142	21.30	3.60			X		M2460-360	0.969	0.142	24.60	3.60			X	
M2150-150	0.846	0.059	21.50	1.50				S22	M2470-350	0.972	0.138	24.70	3.50				P25
M2160-240	0.850	0.094	21.60	2.40			X		2-318	0.975	0.210	24.77	5.33	X		X	
2-316	0.850	0.210	21.59	5.33	X		X		M2500-150	0.984	0.059	25.00	1.50			X	
M2170-350	0.854	0.138	21.70	3.50				P22A	M2500-180	0.984	0.071	25.00	1.80		X		
M2180-240	0.858	0.094	21.80	2.40				P22	M2500-200	0.984	0.079	25.00	2.00		X		

*Chart for comparison only. Not all sizes stocked.

O-Ring Size Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN	Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN
2-124	1.237	0.103	31.42	2.62	X		X		2-028	1.364	0.070	34.65	1.78	X		X	
2-026	1.239	0.070	31.47	1.78	X		X		M3470-350	1.366	0.138	34.70	3.50				P35
M3150-180	1.240	0.071	31.50	1.80	X				M3500-150	1.378	0.059	35.00	1.50		X		
M3150-200	1.240	0.079	31.50	2.00				S32	M3500-200	1.378	0.079	35.00	2.00		X		S35.5
M3150-265	1.240	0.104	31.50	2.65	X				M3500-250	1.378	0.098	35.00	2.50		X		
M3150-355	1.240	0.140	31.50	3.55	X				M3500-300	1.378	0.118	35.00	3.00		X		
M3160-240	1.244	0.094	31.60	2.40			X		M3500-350	1.378	0.138	35.00	3.50		X		
M3170-350	1.248	0.138	31.70	3.50				P32	M3500-400	1.378	0.157	35.00	4.00		X		
M3200-150	1.260	0.059	32.00	1.50			X		M3500-500	1.378	0.197	35.00	5.00		X		
M3200-200	1.260	0.079	32.00	2.00			X		M3510-160	1.382	0.063	35.10	1.60		X	X	
M3200-250	1.260	0.098	32.00	2.50			X		M3520-300	1.386	0.118	35.20	3.00		X		
M3200-300	1.260	0.118	32.00	3.00			X		M3520-350	1.386	0.138	35.20	3.50				P35.5
M3200-350	1.260	0.138	32.00	3.50			X		M3520-570	1.386	0.224	35.20	5.70		X	X	
M3200-400	1.260	0.157	32.00	4.00			X		M3550-180	1.398	0.071	35.50	1.80	X			
M3200-500	1.260	0.197	32.00	5.00			X		M3550-200	1.398	0.079	35.50	2.00				S36
M3210-160	1.264	0.063	32.10	1.60		X	X		M3550-265	1.398	0.104	35.50	2.65	X			
M3220-300	1.268	0.118	32.20	3.00		X			M3550-355	1.398	0.140	35.50	3.55	X			
M3250-180	1.280	0.071	32.50	1.80	X				M3560-360	1.402	0.142	35.60	3.60			X	
M3250-265	1.280	0.104	32.50	2.65	X				M3570-350	1.406	0.138	35.70	3.50				P36
M3250-355	1.280	0.140	32.50	3.55	X				M3600-150	1.417	0.059	36.00	1.50			X	
M3250-360	1.280	0.142	32.50	3.60				X	M3600-200	1.417	0.079	36.00	2.00			X	
2-323	1.287	0.210	32.69	5.33	X		X		M3600-250	1.417	0.098	36.00	2.50			X	
2-219	1.296	0.139	32.92	3.53	X		X		M3600-300	1.417	0.118	36.00	3.00			X	
M3300-150	1.299	0.059	33.00	1.50			X		M3600-350	1.417	0.138	36.00	3.50			X	
M3300-200	1.299	0.079	33.00	2.00			X		M3600-400	1.417	0.157	36.00	4.00			X	
M3300-250	1.299	0.098	33.00	2.50			X		M3600-500	1.417	0.197	36.00	5.00			X	
2-125	1.299	0.103	32.99	2.62	X		X		2-221	1.421	0.139	36.09	3.53	X		X	
M3300-300	1.299	0.118	33.00	3.00			X		2-127	1.424	0.103	36.17	2.62	X		X	
M3300-350	1.299	0.138	33.00	3.50			X		M3620-300	1.425	0.118	36.20	3.00		X		
M3300-400	1.299	0.157	33.00	4.00			X		M3620-570	1.425	0.224	36.20	5.70		X		
M3300-500	1.299	0.197	33.00	5.00			X		M3650-180	1.437	0.071	36.50	1.80	X			
2-027	1.301	0.070	33.05	1.78	X		X		M3650-265	1.437	0.104	36.50	2.65	X			
M3330-240	1.311	0.094	33.30	2.40		X			M3650-355	1.437	0.140	36.50	3.55	X			
M3350-180	1.319	0.071	33.50	1.80	X				M3700-150	1.457	0.059	37.00	1.50			X	
M3350-200	1.319	0.079	33.50	2.00				S34	M3700-200	1.457	0.079	37.00	2.00			X	
M3350-265	1.319	0.104	33.50	2.65	X				M3700-250	1.457	0.098	37.00	2.50			X	
M3350-355	1.319	0.140	33.50	3.55	X				M3700-300	1.457	0.118	37.00	3.00			X	
M3350-400	1.319	0.157	33.50	4.00				V34	M3700-350	1.457	0.138	37.00	3.50			X	
M3370-350	1.327	0.138	33.70	3.50				P34	M3700-400	1.457	0.157	37.00	4.00			X	
M3400-150	1.339	0.059	34.00	1.50			X		M3700-500	1.457	0.197	37.00	5.00			X	
M3400-200	1.339	0.079	34.00	2.00			X		M3710-160	1.461	0.063	37.10	1.60		X	X	
M3400-250	1.339	0.098	34.00	2.50			X		M3720-300	1.465	0.118	37.20	3.00		X		
M3400-300	1.339	0.118	34.00	3.00			X		M3720-570	1.465	0.224	37.20	5.70		X		
M3400-350	1.339	0.138	34.00	3.50			X		M3730-360	1.469	0.142	37.30	3.60				X
M3400-400	1.339	0.157	34.00	4.00			X		3-920	1.475	0.118	37.47	3.00	X		X	
M3400-500	1.339	0.197	34.00	5.00			X		2-325	1.475	0.210	37.47	5.33	X		X	
M3410-360	1.343	0.142	34.10	3.60				X	2-401	1.475	0.275	37.47	6.99	X			
M3420-300	1.346	0.118	34.20	3.00		X			M3750-180	1.476	0.071	37.50	1.80	X			
2-324	1.350	0.210	34.29	5.33	X		X		M3750-200	1.476	0.079	37.50	2.00				S38
M3440-310	1.354	0.122	34.40	3.10				G35	M3750-265	1.476	0.104	37.50	2.65	X			
3-918	1.355	0.116	34.42	2.95	X		X		M3750-355	1.476	0.140	37.50	3.55	X			
M3450-180	1.358	0.071	34.50	1.80		X			M3750-530	1.476	0.209	37.50	5.30	X			
M3450-200	1.358	0.079	34.50	2.00				S35	M3760-240	1.480	0.094	37.60	2.40			X	
M3450-265	1.358	0.104	34.50	2.65	X				M3770-350	1.484	0.138	37.70	3.50				P38
M3450-355	1.358	0.140	34.50	3.55	X				2-222	1.484	0.139	37.69	3.53	X		X	
2-220	1.359	0.139	34.52	3.53	X				2-128	1.487	0.103	37.77	2.62	X		X	
M3460-240	1.362	0.094	34.60	2.40			X		2-029	1.489	0.070	37.82	1.78	X		X	
2-126	1.362	0.103	34.59	2.62	X		X		M3800-150	1.496	0.059	38.00	1.50		X		

*Chart for comparison only. Not all sizes stocked.

O-Ring Size Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN	Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN
M3800-200	1.496	0.079	38.00	2.00		X			M4128-353	1.625	0.139	41.28	3.53			X	
M3800-250	1.496	0.098	38.00	2.50		X			M4140-530	1.630	0.209	41.40	5.30				X
M3800-300	1.496	0.118	38.00	3.00		X			M4150-200	1.634	0.079	41.50	2.00				S42
M3800-350	1.496	0.138	38.00	3.50		X			M4160-240	1.638	0.094	41.60	2.40			X	
M3800-400	1.496	0.157	38.00	4.00		X			M4170-350	1.642	0.138	41.70	3.50				P42
M3800-500	1.496	0.197	38.00	5.00		X			M4200-150	1.654	0.059	42.00	1.50		X		
M3850-200	1.516	0.079	38.50	2.00				S39	M4200-200	1.654	0.079	42.00	2.00		X		
M3870-180	1.524	0.071	38.70	1.80	X				M4200-250	1.654	0.098	42.00	2.50		X		
M3870-265	1.524	0.104	38.70	2.65	X				M4200-300	1.654	0.118	42.00	3.00		X		
M3870-350	1.524	0.138	38.70	3.50				P39	M4200-350	1.654	0.138	42.00	3.50		X		
M3870-355	1.524	0.140	38.70	3.55	X				M4200-400	1.654	0.157	42.00	4.00		X		
M3870-530	1.524	0.209	38.70	5.30	X				M4200-500	1.654	0.197	42.00	5.00		X		
M3900-150	1.535	0.059	39.00	1.50		X			M4220-300	1.661	0.118	42.20	3.00		X		
M3900-200	1.535	0.079	39.00	2.00		X			M4250-180	1.673	0.071	42.50	1.80	X			
M3900-250	1.535	0.098	39.00	2.50		X			M4250-265	1.673	0.104	42.50	2.65	X			
M3900-300	1.535	0.118	39.00	3.00		X			M4250-355	1.673	0.140	42.50	3.55	X			
M3900-350	1.535	0.138	39.00	3.50		X			M4250-530	1.673	0.209	42.50	5.30	X			
M3900-400	1.535	0.157	39.00	4.00		X			2-131	1.674	0.103	42.52	2.62	X		X	
M3900-500	1.535	0.197	39.00	5.00		X			M4286-353	1.687	0.139	42.86	3.53			X	
M3920-300	1.543	0.118	39.20	3.00		X			M4300-150	1.693	0.059	43.00	1.50		X		
M3920-570	1.543	0.224	39.20	5.70		X			M4300-200	1.693	0.079	43.00	2.00		X		
2-129	1.549	0.103	39.34	2.62	X		X		M4300-250	1.693	0.098	43.00	2.50		X		
M3940-310	1.551	0.122	39.40	3.10				G40	M4300-300	1.693	0.118	43.00	3.00		X		
M3950-200	1.555	0.079	39.50	2.00				S40	M4300-350	1.693	0.138	43.00	3.50		X		
M3950-400	1.555	0.157	39.50	4.00				V40	M4300-400	1.693	0.157	43.00	4.00		X		
M3960-240	1.559	0.094	39.60	2.40			X		M4300-500	1.693	0.197	43.00	5.00		X		
M3970-350	1.563	0.138	39.70	3.50				P40	M4340-360	1.709	0.142	43.40	3.60			X	
M3969-353	1.563	0.139	39.69	3.53			X		M4350-200	1.713	0.079	43.50	2.00				S44
M4000-150	1.575	0.059	40.00	1.50		X			M4370-180	1.720	0.071	43.70	1.80	X			
M4000-180	1.575	0.071	40.00	1.80	X				M4370-265	1.720	0.104	43.70	2.65	X			
M4000-200	1.575	0.079	40.00	2.00		X			3-924	1.720	0.118	43.69	3.00	X		X	
M4000-250	1.575	0.098	40.00	2.50		X			M4370-350	1.720	0.138	43.70	3.50				P44
M4000-265	1.575	0.104	40.00	2.65	X				M4370-355	1.720	0.140	43.70	3.55		X		
M4000-300	1.575	0.118	40.00	3.00		X			M4370-530	1.720	0.209	43.70	5.30	X			
M4000-350	1.575	0.138	40.00	3.50		X			2-327	1.725	0.210	43.82	5.33	X		X	X
M4000-355	1.575	0.140	40.00	3.55	X				2-403	1.725	0.275	43.82	6.99	X			
M4000-400	1.575	0.157	40.00	4.00		X			M4400-150	1.732	0.059	44.00	1.50			X	
M4000-500	1.575	0.197	40.00	5.00		X			M4400-200	1.732	0.079	44.00	2.00			X	
M4000-530	1.575	0.209	40.00	5.30	X				M4400-250	1.732	0.098	44.00	2.50			X	
M4020-300	1.583	0.118	40.20	3.00		X			M4400-300	1.732	0.118	44.00	3.00			X	
2-326	1.600	0.210	40.64	5.33	X		X	X	M4400-350	1.732	0.138	44.00	3.50			X	
2-402	1.600	0.275	40.64	6.99	X				M4400-400	1.732	0.157	44.00	4.00			X	
M4070-350	1.602	0.138	40.70	3.50				P41	M4400-500	1.732	0.197	44.00	5.00			X	
2-223	1.609	0.139	40.87	3.53	X		X		2-224	1.734	0.139	44.04	3.53	X		X	
2-130	1.612	0.103	40.94	2.62	X		X		2-132	1.737	0.103	44.12	2.62	X		X	
M4100-150	1.614	0.059	41.00	1.50		X			2-031	1.739	0.070	44.17	1.78	X		X	
2-030	1.614	0.070	41.00	1.78	X		X		M4420-300	1.740	0.118	44.20	3.00		X		
M4100-200	1.614	0.079	41.00	2.00		X			M4430-570	1.744	0.224	44.30	5.70		X	X	
M4100-250	1.614	0.098	41.00	2.50		X			M4440-310	1.748	0.122	44.40	3.10				G45
M4100-300	1.614	0.118	41.00	3.00		X			M4445-353	1.750	0.139	44.45	3.53			X	
M4100-350	1.614	0.138	41.00	3.50		X			M4450-200	1.752	0.079	44.50	2.00				S45
M4100-400	1.614	0.157	41.00	4.00		X			M4460-240	1.756	0.094	44.60	2.40			X	
M4100-500	1.614	0.197	41.00	5.00		X			M4470-350	1.760	0.138	44.70	3.50				P45
M4120-180	1.622	0.071	41.20	1.80	X				M4500-150	1.772	0.059	45.00	1.50			X	
M4120-265	1.622	0.104	41.20	2.65	X				M4500-180	1.772	0.071	45.00	1.80	X			
M4120-355	1.622	0.140	41.20	3.55	X				M4500-200	1.772	0.079	45.00	2.00			X	
M4120-530	1.622	0.209	41.20	5.30	X				M4500-250	1.772	0.098	45.00	2.50			X	
M4120-570	1.622	0.224	41.20	5.70		X			M4500-265	1.772	0.104	45.00	2.65	X			

*Chart for comparison only. Not all sizes stocked.



O-Ring Size Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN	Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN
M5300-180	2.087	0.071	53.00	1.80	X				M5620-300	2.213	0.118	56.20	3.00		X		
M5300-200	2.087	0.079	53.00	2.00		X			2-331	2.225	0.210	56.52	5.33	X		X	X
M5300-250	2.087	0.098	53.00	2.50		X			2-407	2.225	0.275	56.52	6.99	X			
M5300-265	2.087	0.104	53.00	2.65	X				2-228	2.234	0.139	56.74	3.53	X		X	
M5300-300	2.087	0.118	53.00	3.00		X			2-140	2.237	0.103	56.82	2.62	X		X	
M5300-350	2.087	0.138	53.00	3.50		X			2-035	2.239	0.070	56.87	1.78	X		X	
M5300-355	2.087	0.140	53.00	3.55	X				M5700-150	2.244	0.059	57.00	1.50			X	
M5300-400	2.087	0.157	53.00	4.00		X			M5700-200	2.244	0.079	57.00	2.00			X	
M5300-500	2.087	0.197	53.00	5.00		X			M5700-250	2.244	0.098	57.00	2.50			X	
M5300-530	2.087	0.209	53.00	5.30	X				M5700-300	2.244	0.118	57.00	3.00			X	
3-928	2.090	0.118	53.09	3.00	X		X		M5700-350	2.244	0.138	57.00	3.50			X	
2-330	2.100	0.210	53.34	5.33	X		X	X	M5700-400	2.244	0.157	57.00	4.00			X	
2-406	2.100	0.275	53.34	6.99	X				M5700-500	2.244	0.197	57.00	5.00			X	
2-227	2.109	0.139	53.57	3.53	X		X		M5715-353	2.250	0.139	57.15	3.53			X	
2-138	2.112	0.103	53.64	2.62	X		X		M5720-300	2.252	0.118	57.20	3.00		X		
2-034	2.114	0.070	53.70	1.78	X		X		M5730-570	2.256	0.224	57.30	5.70		X	X	
M5398-353	2.125	0.139	53.98	3.53			X		M5760-240	2.268	0.094	57.60	2.40			X	
M5400-150	2.126	0.059	54.00	1.50			X		M5760-570	2.268	0.224	57.60	5.70				P58
M5400-200	2.126	0.079	54.00	2.00			X		M5800-150	2.283	0.059	58.00	1.50			X	
M5400-250	2.126	0.098	54.00	2.50			X		M5800-200	2.283	0.079	58.00	2.00			X	
M5400-300	2.126	0.118	54.00	3.00			X		M5800-250	2.283	0.098	58.00	2.50			X	
M5400-350	2.126	0.138	54.00	3.50			X		M5800-265	2.283	0.104	58.00	2.65	X			
M5400-400	2.126	0.157	54.00	4.00			X		M5800-300	2.283	0.118	58.00	3.00			X	
M5400-500	2.126	0.197	54.00	5.00			X		M5800-350	2.283	0.138	58.00	3.50			X	
M5430-570	2.138	0.224	54.30	5.70		X	X		M5800-355	2.283	0.140	58.00	3.55	X			
M5440-310	2.142	0.122	54.40	3.10				G55	M5800-400	2.283	0.157	58.00	4.00			X	
M5440-530	2.142	0.209	54.40	5.30				X	M5800-500	2.283	0.197	58.00	5.00			X	
M5450-200	2.146	0.079	54.50	2.00				S55	M5800-530	2.283	0.209	58.00	5.30	X			
M5450-265	2.146	0.104	54.50	2.65	X				2-141	2.300	0.103	58.42	2.62	X		X	
M5450-300	2.146	0.118	54.50	3.00		X	X		M5874-353	2.313	0.139	58.74	3.53			X	
M5450-355	2.146	0.140	54.50	3.55	X				M5900-150	2.323	0.059	59.00	1.50			X	
M5450-400	2.146	0.157	54.50	4.00				V55	M5900-200	2.323	0.079	59.00	2.00			X	
M5450-530	2.146	0.209	54.50	5.30	X				M5900-250	2.323	0.098	59.00	2.50			X	
M5460-240	2.150	0.094	54.60	2.40			X		M5900-300	2.323	0.118	59.00	3.00			X	
M5460-570	2.150	0.224	54.60	5.70				P55	M5900-350	2.323	0.138	59.00	3.50			X	
M5500-150	2.165	0.059	55.00	1.50			X		M5900-400	2.323	0.157	59.00	4.00			X	
M5500-200	2.165	0.079	55.00	2.00			X		M5900-500	2.323	0.197	59.00	5.00			X	
M5500-250	2.165	0.098	55.00	2.50			X		M5930-570	2.335	0.224	59.30	5.70		X	X	
M5500-300	2.165	0.118	55.00	3.00			X		3-932	2.337	0.118	59.36	3.00	X		X	
M5500-350	2.165	0.138	55.00	3.50			X		M5940-310	2.339	0.122	59.40	3.10				G60
M5500-400	2.165	0.157	55.00	4.00			X		M5950-200	2.343	0.079	59.50	2.00				S60
M5500-500	2.165	0.197	55.00	5.00			X		M5950-300	2.343	0.118	59.50	3.00		X	X	
M5520-300	2.173	0.118	55.20	3.00		X			M5960-240	2.346	0.094	59.60	2.40			X	
2-139	2.175	0.103	55.25	2.62	X		X		M5960-570	2.346	0.224	59.60	5.70				P60
M5550-200	2.185	0.079	55.50	2.00				S56	2-332	2.350	0.210	59.69	5.33	X		X	X
M5556-353	2.187	0.139	55.56	3.53			X		2-408	2.350	0.275	59.69	6.99	X			
M5560-570	2.189	0.224	55.60	5.70				P56	2-229	2.359	0.139	59.92	3.53	X		X	
M5600-150	2.205	0.059	56.00	1.50			X		M6000-150	2.362	0.059	60.00	1.50			X	
M5600-180	2.205	0.071	56.00	1.80	X				M6000-180	2.362	0.071	60.00	1.80	X			
M5600-200	2.205	0.079	56.00	2.00			X		M6000-200	2.362	0.079	60.00	2.00			X	
M5600-250	2.205	0.098	56.00	2.50			X		M6000-250	2.362	0.098	60.00	2.50			X	
M5600-265	2.205	0.104	56.00	2.65	X				2-142	2.362	0.103	59.99	2.62	X		X	
M5600-300	2.205	0.118	56.00	3.00			X		M6000-265	2.362	0.104	60.00	2.65	X			
M5600-350	2.205	0.138	56.00	3.50			X		M6000-300	2.362	0.118	60.00	3.00			X	
M5600-355	2.205	0.140	56.00	3.55	X				M6000-350	2.362	0.138	60.00	3.50			X	
M5600-400	2.205	0.157	56.00	4.00			X		M6000-355	2.362	0.140	60.00	3.55	X			
M5600-500	2.205	0.197	56.00	5.00			X		M6000-400	2.362	0.157	60.00	4.00			X	
M5600-530	2.205	0.209	56.00	5.30	X				M6000-500	2.362	0.197	60.00	5.00			X	

*Chart for comparison only. Not all sizes stocked.



O-Ring Size Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN	Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN
2-161	5.487	0.103	139.37	2.62	X		X		M14600-300	5.748	0.118	146.00	3.00			X	
M13940-310	5.488	0.122	139.40	3.10				G140	M14600-350	5.748	0.138	146.00	3.50			X	
M13950-200	5.492	0.079	139.50	2.00				S140	M14600-400	5.748	0.157	146.00	4.00			X	
M13950-300	5.492	0.118	139.50	3.00		X	X		M14600-500	5.748	0.197	146.00	5.00			X	
M13960-570	5.496	0.224	139.60	5.70				P140	M14605-533	5.750	0.210	146.05	5.33			X	
M13970-533	5.500	0.210	139.70	5.33			X		M14700-250	5.787	0.098	147.00	2.50			X	
M14000-250	5.512	0.098	140.00	2.50		X			M14700-300	5.787	0.118	147.00	3.00			X	
M14000-265	5.512	0.104	140.00	2.65	X				M14700-350	5.787	0.138	147.00	3.50			X	
M14000-300	5.512	0.118	140.00	3.00		X			M14700-400	5.787	0.157	147.00	4.00			X	
M14000-350	5.512	0.138	140.00	3.50		X			M14700-500	5.787	0.197	147.00	5.00			X	
M14000-355	5.512	0.140	140.00	3.55	X				M14800-250	5.827	0.098	148.00	2.50			X	
M14000-400	5.512	0.157	140.00	4.00		X			M14800-300	5.827	0.118	148.00	3.00			X	
M14000-500	5.512	0.197	140.00	5.00		X			M14800-350	5.827	0.138	148.00	3.50			X	
M14000-530	5.512	0.209	140.00	5.30	X				M14800-400	5.827	0.157	148.00	4.00			X	
M14000-700	5.512	0.276	140.00	7.00	X				M14800-500	5.827	0.197	148.00	5.00			X	
M14100-250	5.551	0.098	141.00	2.50		X			M14850-400	5.846	0.157	148.50	4.00				V150
M14100-300	5.551	0.118	141.00	3.00		X			2-360	5.850	0.210	148.59	5.33	X		X	
M14100-350	5.551	0.138	141.00	3.50		X			2-436	5.850	0.275	148.59	6.99	X		X X	
M14100-400	5.551	0.157	141.00	4.00		X			2-257	5.859	0.139	148.82	3.53	X		X	
M14100-500	5.551	0.197	141.00	5.00		X			M14900-250	5.866	0.098	149.00	2.50			X	
M14200-250	5.591	0.098	142.00	2.50		X			M14900-300	5.866	0.118	149.00	3.00			X	
M14200-300	5.591	0.118	142.00	3.00		X			M14900-350	5.866	0.138	149.00	3.50			X	
M14200-350	5.591	0.138	142.00	3.50		X			M14900-400	5.866	0.157	149.00	4.00			X	
M14200-400	5.591	0.157	142.00	4.00		X			M14900-500	5.866	0.197	149.00	5.00			X	
M14200-500	5.591	0.197	142.00	5.00		X			M14910-840	5.870	0.331	149.10	8.40		X	X	
2-358	5.600	0.210	142.24	5.33	X		X		M14923-533	5.875	0.210	149.23	5.33			X	
2-434	5.600	0.275	142.24	6.99	X		X X		M14930-570	5.878	0.224	149.30	5.70		X	X	G150
2-255	5.609	0.139	142.47	3.53	X		X		M14950-200	5.886	0.079	149.50	2.00				S150
M14288-533	5.625	0.210	142.88	5.33			X		M14950-840	5.886	0.331	149.50	8.40				P150A
M14300-250	5.630	0.098	143.00	2.50		X			M14960-570	5.890	0.224	149.60	5.70				P150
M14300-300	5.630	0.118	143.00	3.00		X			M15000-250	5.906	0.098	150.00	2.50			X	
M14300-350	5.630	0.138	143.00	3.50		X			M15000-265	5.906	0.104	150.00	2.65	X			
M14300-400	5.630	0.157	143.00	4.00		X			M15000-300	5.906	0.118	150.00	3.00			X	
M14300-500	5.630	0.197	143.00	5.00		X			M15000-350	5.906	0.138	150.00	3.50			X	
M14400-250	5.669	0.098	144.00	2.50		X			M15000-355	5.906	0.140	150.00	3.55	X			
M14400-300	5.669	0.118	144.00	3.00		X			M15000-400	5.906	0.157	150.00	4.00			X	
M14400-350	5.669	0.138	144.00	3.50		X			M15000-500	5.906	0.197	150.00	5.00			X	
M14400-400	5.669	0.157	144.00	4.00		X			M15000-530	5.906	0.209	150.00	5.30	X			
M14400-500	5.669	0.197	144.00	5.00		X			M15000-700	5.906	0.276	150.00	7.00	X			
M14410-840	5.673	0.331	144.10	8.40		X	X		M15100-300	5.945	0.118	151.00	3.00			X	
M14430-570	5.681	0.224	144.30	5.70		X	X		M15100-350	5.945	0.138	151.00	3.50			X	
M14440-310	5.685	0.122	144.40	3.10				G145	M15100-400	5.945	0.157	151.00	4.00			X	
M14450-200	5.689	0.079	144.50	2.00				S145	M15100-500	5.945	0.197	151.00	5.00			X	
M14450-300	5.689	0.118	144.50	3.00		X	X		2-361	5.975	0.210	151.77	5.33	X		X	
M14460-570	5.693	0.224	144.60	5.70				P145	2-437	5.975	0.275	151.77	6.99	X		X X	
M14500-250	5.709	0.098	145.00	2.50		X			M15200-300	5.984	0.118	152.00	3.00			X	
M14500-300	5.709	0.118	145.00	3.00		X			M15200-350	5.984	0.138	152.00	3.50			X	
M14500-350	5.709	0.138	145.00	3.50		X			2-258	5.984	0.139	151.99	3.53	X		X	
M14500-355	5.709	0.140	145.00	3.55	X				M15200-400	5.984	0.157	152.00	4.00			X	
M14500-400	5.709	0.157	145.00	4.00		X			M15200-500	5.984	0.197	152.00	5.00			X	
M14500-500	5.709	0.197	145.00	5.00		X			2-163	5.987	0.103	152.07	2.62	X		X	
M14500-530	5.709	0.209	145.00	5.30	X				M15300-300	6.024	0.118	153.00	3.00			X	
M14500-700	5.709	0.276	145.00	7.00	X				M15300-350	6.024	0.138	153.00	3.50			X	
2-359	5.725	0.210	145.42	5.33	X		X		M15300-400	6.024	0.157	153.00	4.00			X	
2-435	5.725	0.275	145.42	6.99	X		X X		M15300-500	6.024	0.197	153.00	5.00			X	
2-256	5.734	0.139	145.64	3.53	X		X		M15400-300	6.063	0.118	154.00	3.00			X	
2-162	5.737	0.103	145.72	2.62	X		X		M15400-350	6.063	0.138	154.00	3.50			X	
M14600-250	5.748	0.098	146.00	2.50		X			M15400-400	6.063	0.157	154.00	4.00			X	

*Chart for comparison only. Not all sizes stocked.



O-Ring Size Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GERMANY	BRITAIN	FRANCE	JAPAN	Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN	GERMANY	BRITAIN	FRANCE	JAPAN
M17200-350	6.772	0.138	172.00	3.50			X				M18200-300	7.165	0.118	182.00	3.00			X			
M17200-400	6.772	0.157	172.00	4.00			X				M18200-350	7.165	0.138	182.00	3.50			X			
M17200-500	6.772	0.197	172.00	5.00			X				M18200-400	7.165	0.157	182.00	4.00			X			
M17300-300	6.811	0.118	173.00	3.00			X				M18200-500	7.165	0.197	182.00	5.00			X			
M17300-350	6.811	0.138	173.00	3.50			X				M18300-300	7.205	0.118	183.00	3.00			X			
M17300-400	6.811	0.157	173.00	4.00			X			V175	M18300-350	7.205	0.138	183.00	3.50			X			
M17300-500	6.811	0.197	173.00	5.00			X				M18300-400	7.205	0.157	183.00	4.00			X			
M17400-300	6.850	0.118	174.00	3.00			X				M18300-500	7.205	0.197	183.00	5.00			X			
M17400-350	6.850	0.138	174.00	3.50			X				2-366	7.225	0.210	183.52	5.33	X			X		
M17400-400	6.850	0.157	174.00	4.00			X				2-442	7.225	0.275	183.52	6.99	X			X	X	
M17400-500	6.850	0.197	174.00	5.00			X				2-263	7.234	0.139	183.74	3.53	X			X		
M17400-533	6.850	0.210	174.00	5.33							2-168	7.237	0.103	183.82	2.62	X			X		
M17410-840	6.854	0.331	174.10	8.40			X	X			M18400-300	7.244	0.118	184.00	3.00			X			
M17430-570	6.862	0.224	174.30	5.70			X	X		G175	M18400-350	7.244	0.138	184.00	3.50			X			
M17450-840	6.870	0.331	174.50	8.40						P175	M18400-400	7.244	0.157	184.00	4.00			X			
M17460-699	6.874	0.275	174.60	6.99				X			M18400-500	7.244	0.197	184.00	5.00			X			
M17500-300	6.890	0.118	175.00	3.00			X				M18410-840	7.248	0.331	184.10	8.40			X	X		
M17500-350	6.890	0.138	175.00	3.50			X				M18430-570	7.256	0.224	184.30	5.70			X	X		G185
M17500-355	6.890	0.140	175.00	3.55	X						M18450-840	7.264	0.331	184.50	8.40						P185
M17500-400	6.890	0.157	175.00	4.00			X				M18500-300	7.283	0.118	185.00	3.00			X			
M17500-500	6.890	0.197	175.00	5.00			X				M18500-350	7.283	0.138	185.00	3.50			X			
M17500-700	6.890	0.276	175.00	7.00	X						M18500-355	7.283	0.140	185.00	3.55	X					
M17600-300	6.929	0.118	176.00	3.00			X				M18500-400	7.283	0.157	185.00	4.00			X			
M17600-350	6.929	0.138	176.00	3.50			X				M18500-500	7.283	0.197	185.00	5.00			X			
M17600-400	6.929	0.157	176.00	4.00			X				M18500-530	7.283	0.209	185.00	5.30	X					
M17600-500	6.929	0.197	176.00	5.00			X				M18500-700	7.283	0.276	185.00	7.00	X					
M17700-300	6.969	0.118	177.00	3.00			X				M18600-300	7.323	0.118	186.00	3.00			X			
M17700-350	6.969	0.138	177.00	3.50			X				M18600-350	7.323	0.138	186.00	3.50			X			
M17700-400	6.969	0.157	177.00	4.00			X				M18600-400	7.323	0.157	186.00	4.00			X			
M17700-500	6.969	0.197	177.00	5.00			X				M18600-500	7.323	0.197	186.00	5.00			X			
2-365	6.975	0.210	177.17	5.33	X			X			M18700-300	7.362	0.118	187.00	3.00			X			
2-441	6.975	0.275	177.17	6.99	X			X	X		M18700-350	7.362	0.138	187.00	3.50			X			
2-262	6.984	0.139	177.39	3.53	X			X			M18700-400	7.362	0.157	187.00	4.00			X			
2-167	6.987	0.103	177.47	2.62	X			X			M18700-500	7.362	0.197	187.00	5.00			X			
M17800-300	7.008	0.118	178.00	3.00			X				M18730-699	7.374	0.275	187.30	6.99				X		
M17800-350	7.008	0.138	178.00	3.50			X				M18800-300	7.402	0.118	188.00	3.00			X			
M17800-400	7.008	0.157	178.00	4.00			X				M18800-350	7.402	0.138	188.00	3.50			X			
M17800-500	7.008	0.197	178.00	5.00			X				M18800-400	7.402	0.157	188.00	4.00			X			
M17900-300	7.047	0.118	179.00	3.00			X				M18800-500	7.402	0.197	188.00	5.00			X			
M17900-350	7.047	0.138	179.00	3.50			X				M18900-300	7.441	0.118	189.00	3.00			X			
M17900-400	7.047	0.157	179.00	4.00			X				M18900-350	7.441	0.138	189.00	3.50			X			
M17900-500	7.047	0.197	179.00	5.00			X				M18900-400	7.441	0.157	189.00	4.00			X			
M17910-840	7.051	0.331	179.10	8.40			X	X			M18900-500	7.441	0.197	189.00	5.00			X			
M17930-570	7.059	0.224	179.30	5.70			X	X		G180	M18910-840	7.445	0.331	189.10	8.40			X	X		
M17950-840	7.067	0.331	179.50	8.40						P180	M18930-570	7.453	0.224	189.30	5.70			X	X		G190
M18000-265	7.087	0.104	180.00	2.65	X						M18950-840	7.461	0.331	189.50	8.40						P190
M18000-300	7.087	0.118	180.00	3.00			X				2-367	7.475	0.210	189.87	5.33	X			X		
M18000-350	7.087	0.138	180.00	3.50			X				2-443	7.475	0.275	189.87	6.99	X			X	X	
M18000-355	7.087	0.140	180.00	3.55	X						M19000-265	7.480	0.104	190.00	2.65		X				
M18000-400	7.087	0.157	180.00	4.00			X				M19000-300	7.480	0.118	190.00	3.00			X			
M18000-500	7.087	0.197	180.00	5.00			X				M19000-350	7.480	0.138	190.00	3.50			X			
M18000-530	7.087	0.209	180.00	5.30	X						M19000-355	7.480	0.140	190.00	3.55	X					
M18000-700	7.087	0.276	180.00	7.00	X						M19000-400	7.480	0.157	190.00	4.00			X			
M18100-300	7.126	0.118	181.00	3.00			X				M19000-500	7.480	0.197	190.00	5.00			X			
M18100-350	7.126	0.138	181.00	3.50			X				M19000-530	7.480	0.209	190.00	5.30	X					
M18100-400	7.126	0.157	181.00	4.00			X				M19000-700	7.480	0.276	190.00	7.00	X					
M18100-500	7.126	0.197	181.00	5.00			X				2-264	7.484	0.139	190.09	3.53	X			X		
M18100-699	7.126	0.275	181.00	6.99				X			2-169	7.487	0.103	190.17	2.62	X			X		

* Chart for comparison only. Not all sizes stocked.

O-Ring Size Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)						Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)							
					AS568A ISO	SWEDEN	GERMANY	BRITAIN	FRANCE						JAPAN	AS568A ISO	SWEDEN	GERMANY	BRITAIN	FRANCE	JAPAN
M19100-300	7.520	0.118	191.00	3.00			X				M20000-700	7.874	0.276	200.00	7.00		X				
M19100-350	7.520	0.138	191.00	3.50			X				M20100-300	7.913	0.118	201.00	3.00			X			
M19100-400	7.520	0.157	191.00	4.00			X				M20100-350	7.913	0.138	201.00	3.50			X			
M19100-500	7.520	0.197	191.00	5.00			X				M20100-400	7.913	0.157	201.00	4.00			X			
M19200-300	7.559	0.118	192.00	3.00			X				M20100-500	7.913	0.197	201.00	5.00			X			
M19200-350	7.559	0.138	192.00	3.50			X				M20200-300	7.953	0.118	202.00	3.00			X			
M19200-400	7.559	0.157	192.00	4.00			X				M20200-350	7.953	0.138	202.00	3.50			X			
M19200-500	7.559	0.197	192.00	5.00			X				M20200-400	7.953	0.157	202.00	4.00			X			
M19300-300	7.598	0.118	193.00	3.00			X				M20200-500	7.953	0.197	202.00	5.00			X			
M19300-350	7.598	0.138	193.00	3.50			X				2-369	7.975	0.210	202.57	5.33	X			X		
M19300-400	7.598	0.157	193.00	4.00			X				2-445	7.975	0.275	202.57	6.99	X			X	X	
M19300-500	7.598	0.197	193.00	5.00			X				2-266	7.984	0.139	202.79	3.53	X			X		
M19370-699	7.626	0.275	193.70	6.99				X			2-171	7.987	0.103	202.87	2.62	X			X		
M19400-300	7.638	0.118	194.00	3.00			X				M20300-300	7.992	0.118	203.00	3.00			X			
M19400-350	7.638	0.138	194.00	3.50			X				M20300-350	7.992	0.138	203.00	3.50			X			
M19400-400	7.638	0.157	194.00	4.00			X				M20300-400	7.992	0.157	203.00	4.00			X			
M19400-500	7.638	0.197	194.00	5.00			X				M20300-500	7.992	0.197	203.00	5.00			X			
M19410-840	7.642	0.331	194.10	8.40			X	X			M20400-300	8.031	0.118	204.00	3.00			X			
M19430-570	7.650	0.224	194.30	5.70			X	X	G195		M20400-350	8.031	0.138	204.00	3.50			X			
M19450-840	7.657	0.331	194.50	8.40					P195		M20400-400	8.031	0.157	204.00	4.00			X			
M19500-300	7.677	0.118	195.00	3.00			X				M20400-500	8.031	0.197	204.00	5.00			X			
M19500-350	7.677	0.138	195.00	3.50			X				M20430-570	8.043	0.224	204.30	5.70			X	X		
M19500-355	7.677	0.140	195.00	3.55	X						M20450-840	8.051	0.331	204.50	8.40						P205
M19500-400	7.677	0.157	195.00	4.00			X				M20500-300	8.071	0.118	205.00	3.00			X			
M19500-500	7.677	0.197	195.00	5.00			X				M20500-350	8.071	0.138	205.00	3.50			X			
M19500-530	7.677	0.209	195.00	5.30	X						M20500-400	8.071	0.157	205.00	4.00			X			
M19500-700	7.677	0.276	195.00	7.00	X						M20500-500	8.071	0.197	205.00	5.00			X			
M19600-300	7.717	0.118	196.00	3.00			X				M20600-300	8.110	0.118	206.00	3.00			X			
M19600-350	7.717	0.138	196.00	3.50			X				M20600-350	8.110	0.138	206.00	3.50			X			
M19600-400	7.717	0.157	196.00	4.00			X				M20600-400	8.110	0.157	206.00	4.00			X			
M19600-500	7.717	0.197	196.00	5.00			X				M20600-500	8.110	0.197	206.00	5.00			X			
2-368	7.725	0.210	196.22	5.33	X		X				M20600-530	8.110	0.209	206.00	5.30	X					
2-444	7.725	0.275	196.22	6.99	X		X	X			M20600-700	8.110	0.276	206.00	7.00	X					
2-265	7.734	0.139	196.44	3.53	X		X				M20700-300	8.150	0.118	207.00	3.00			X			
2-170	7.737	0.103	196.52	2.62	X		X				M20700-350	8.150	0.138	207.00	3.50			X			
M19700-300	7.756	0.118	197.00	3.00			X				M20700-400	8.150	0.157	207.00	4.00			X			
M19700-350	7.756	0.138	197.00	3.50			X				M20700-500	8.150	0.197	207.00	5.00			X			
M19700-400	7.756	0.157	197.00	4.00			X				M20800-300	8.189	0.118	208.00	3.00			X			
M19700-500	7.756	0.197	197.00	5.00			X				M20800-350	8.189	0.138	208.00	3.50			X			
M19800-300	7.795	0.118	198.00	3.00			X				M20800-400	8.189	0.157	208.00	4.00			X			
M19800-350	7.795	0.138	198.00	3.50			X				M20800-500	8.189	0.197	208.00	5.00			X			
M19800-400	7.795	0.157	198.00	4.00			X				M20850-840	8.209	0.331	208.50	8.40						P209
M19800-500	7.795	0.197	198.00	5.00			X				2-370	8.225	0.210	208.92	5.33	X			X		
M19900-300	7.835	0.118	199.00	3.00			X				M20892-699	8.225	0.275	208.92	6.99				X		
M19900-350	7.835	0.138	199.00	3.50			X				M20900-300	8.228	0.118	209.00	3.00			X			
M19900-400	7.835	0.157	199.00	4.00			X				M20900-350	8.228	0.138	209.00	3.50			X			
M19900-500	7.835	0.197	199.00	5.00			X				M20900-400	8.228	0.157	209.00	4.00			X			
M19910-840	7.839	0.331	199.10	8.40			X	X			M20900-500	8.228	0.197	209.00	5.00			X			
M19930-570	7.846	0.224	199.30	5.70			X	X	G200		M20910-840	8.232	0.331	209.10	8.40			X	X		
M19950-840	7.854	0.331	199.50	8.40					P200		2-267	8.234	0.139	209.14	3.53	X			X		
M20000-265	7.874	0.104	200.00	2.65	X						2-172	8.237	0.103	209.22	2.62	X			X		
M20000-300	7.874	0.118	200.00	3.00			X				M20930-570	8.240	0.224	209.30	5.70			X	X		G210
M20000-350	7.874	0.138	200.00	3.50			X				M20950-840	8.248	0.331	209.50	8.40						P210
M20000-355	7.874	0.140	200.00	3.55	X						M21000-300	8.268	0.118	210.00	3.00			X			
M20000-400	7.874	0.157	200.00	4.00			X				M21000-350	8.268	0.138	210.00	3.50			X			
M20000-500	7.874	0.197	200.00	5.00			X				M21000-400	8.268	0.157	210.00	4.00			X			
M20000-530	7.874	0.209	200.00	5.30	X						M21000-500	8.268	0.197	210.00	5.00			X			
M20000-699	7.874	0.275	200.00	6.99			X				M21100-300	8.307	0.118	211.00	3.00			X			

*Chart for comparison only. Not all sizes stocked.

O-Ring Size Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN	Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN
M21100-350	8.307	0.138	211.00	3.50		X			M22162-699	8.725	0.275	221.62	6.99			X	
M21100-400	8.307	0.157	211.00	4.00		X			2-269	8.734	0.139	221.84	3.53	X		X	
M21100-500	8.307	0.197	211.00	5.00		X			2-174	8.737	0.103	221.92	2.62	X		X	
M21200-265	8.346	0.104	212.00	2.65	X				M22200-300	8.740	0.118	222.00	3.00		X		
M21200-300	8.346	0.118	212.00	3.00		X			M22200-350	8.740	0.138	222.00	3.50		X		
M21200-350	8.346	0.138	212.00	3.50		X			M22200-400	8.740	0.157	222.00	4.00		X		
M21200-355	8.346	0.140	212.00	3.55	X				M22200-500	8.740	0.197	222.00	5.00		X		
M21200-400	8.346	0.157	212.00	4.00		X			M22300-300	8.780	0.118	223.00	3.00		X		
M21200-500	8.346	0.197	212.00	5.00		X			M22300-350	8.780	0.138	223.00	3.50		X		
M21200-530	8.346	0.209	212.00	5.30	X				M22300-400	8.780	0.157	223.00	4.00		X		
M21200-700	8.346	0.276	212.00	7.00	X				M22300-500	8.780	0.197	223.00	5.00		X		
M21300-300	8.386	0.118	213.00	3.00		X			M22400-265	8.819	0.104	224.00	2.65	X			
M21300-350	8.386	0.138	213.00	3.50		X			M22400-300	8.819	0.118	224.00	3.00		X		
M21300-400	8.386	0.157	213.00	4.00		X			M22400-350	8.819	0.138	224.00	3.50		X		
M21300-500	8.386	0.197	213.00	5.00		X			M22400-355	8.819	0.140	224.00	3.55	X			
M21400-300	8.425	0.118	214.00	3.00		X			M22400-400	8.819	0.157	224.00	4.00		X		
M21400-350	8.425	0.138	214.00	3.50		X			M22400-500	8.819	0.197	224.00	5.00		X		
M21400-400	8.425	0.157	214.00	4.00		X			M22400-530	8.819	0.209	224.00	5.30	X			
M21400-500	8.425	0.197	214.00	5.00		X			M22400-700	8.819	0.276	224.00	7.00	X			
M21450-840	8.445	0.331	214.50	8.40				P215	M22450-840	8.839	0.331	224.50	8.40				P225
M21500-300	8.465	0.118	215.00	3.00		X			M22500-300	8.858	0.118	225.00	3.00		X		
M21500-350	8.465	0.138	215.00	3.50		X			M22500-350	8.858	0.138	225.00	3.50		X		
M21500-400	8.465	0.157	215.00	4.00		X			M22500-400	8.858	0.157	225.00	4.00		X		
M21500-500	8.465	0.197	215.00	5.00		X			M22500-500	8.858	0.197	225.00	5.00		X		
2-371	8.475	0.210	215.27	5.33	X		X		M22500-600	8.858	0.236	225.00	6.00				V225
2-446	8.475	0.275	215.27	6.99	X		X		M22600-300	8.898	0.118	226.00	3.00		X		
2-268	8.484	0.139	215.49	3.53	X		X		M22600-350	8.898	0.138	226.00	3.50		X		
2-173	8.487	0.103	215.57	2.62	X		X		M22600-400	8.898	0.157	226.00	4.00		X		
M21600-300	8.504	0.118	216.00	3.00		X			M22600-500	8.898	0.197	226.00	5.00		X		
M21600-350	8.504	0.138	216.00	3.50		X			M22700-300	8.937	0.118	227.00	3.00		X		
M21600-400	8.504	0.157	216.00	4.00		X			M22700-350	8.937	0.138	227.00	3.50		X		
M21600-500	8.504	0.197	216.00	5.00		X			M22700-400	8.937	0.157	227.00	4.00		X		
M21700-300	8.543	0.118	217.00	3.00		X			M22700-500	8.937	0.197	227.00	5.00		X		
M21700-350	8.543	0.138	217.00	3.50		X			2-373	8.975	0.210	227.97	5.33	X		X	
M21700-400	8.543	0.157	217.00	4.00		X			2-447	8.975	0.275	227.97	6.99	X		X	
M21700-500	8.543	0.197	217.00	5.00		X			M22800-300	8.976	0.118	228.00	3.00		X		
M21800-300	8.583	0.118	218.00	3.00		X			M22800-350	8.976	0.138	228.00	3.50		X		
M21800-350	8.583	0.138	218.00	3.50		X			M22800-400	8.976	0.157	228.00	4.00		X		
M21800-400	8.583	0.157	218.00	4.00		X			M22800-500	8.976	0.197	228.00	5.00		X		
M21800-500	8.583	0.197	218.00	5.00		X			2-270	8.984	0.139	228.19	3.53	X		X	
M21800-530	8.583	0.209	218.00	5.30	X				2-175	8.987	0.103	228.27	2.62	X		X	
M21800-700	8.583	0.276	218.00	7.00	X				M22900-300	9.016	0.118	229.00	3.00		X		
M21900-300	8.622	0.118	219.00	3.00		X			M22900-350	9.016	0.138	229.00	3.50		X		
M21900-350	8.622	0.138	219.00	3.50		X			M22900-400	9.016	0.157	229.00	4.00		X		
M21900-400	8.622	0.157	219.00	4.00		X			M22900-500	9.016	0.197	229.00	5.00		X		
M21900-500	8.622	0.197	219.00	5.00		X			M22910-840	9.020	0.331	229.10	8.40		X	X	
M21910-840	8.626	0.331	219.10	8.40		X	X		M22930-570	9.028	0.224	229.30	5.70		X	X	G230
M21930-570	8.634	0.224	219.30	5.70		X	X	G220	M22950-840	9.035	0.331	229.50	8.40				P230
M21950-840	8.642	0.331	219.50	8.40				P220	M23000-300	9.055	0.118	230.00	3.00		X		
M22000-300	8.661	0.118	220.00	3.00		X			M23000-350	9.055	0.138	230.00	3.50		X		
M22000-350	8.661	0.138	220.00	3.50		X			M23000-400	9.055	0.157	230.00	4.00		X		
M22000-400	8.661	0.157	220.00	4.00		X			M23000-500	9.055	0.197	230.00	5.00		X		
M22000-500	8.661	0.197	220.00	5.00		X			M23000-530	9.055	0.209	230.00	5.30		X		
M22100-300	8.701	0.118	221.00	3.00		X			M23000-700	9.055	0.276	230.00	7.00	X			
M22100-350	8.701	0.138	221.00	3.50		X			M23100-300	9.094	0.118	231.00	3.00		X		
M22100-400	8.701	0.157	221.00	4.00		X			M23100-350	9.094	0.138	231.00	3.50		X		
M22100-500	8.701	0.197	221.00	5.00		X			M23100-400	9.094	0.157	231.00	4.00		X		
2-372	8.725	0.210	221.62	5.33	X		X		M23100-500	9.094	0.197	231.00	5.00		X		

*Chart for comparison only. Not all sizes stocked.



O-Ring Size Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN	Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)	AS568A ISO	SWEDEN GERMANY	BRITAIN FRANCE	JAPAN
M37800-400	14.882	0.157	378.00	4.00		X			M39450-840	15.531	0.331	394.50	8.40				X
M37800-500	14.882	0.197	378.00	5.00		X			M39500-350	15.551	0.138	395.00	3.50		X		
M37900-350	14.921	0.138	379.00	3.50		X			M39500-400	15.551	0.157	395.00	4.00		X		
M37900-400	14.921	0.157	379.00	4.00		X			M39500-500	15.551	0.197	395.00	5.00		X		
M37900-500	14.921	0.197	379.00	5.00		X			M39600-350	15.591	0.138	396.00	3.50		X		
M37930-570	14.933	0.224	379.30	5.70		X	X		M39600-400	15.591	0.157	396.00	4.00		X		
M38000-350	14.961	0.138	380.00	3.50		X			M39600-500	15.591	0.197	396.00	5.00		X		
M38000-400	14.961	0.157	380.00	4.00		X			M39700-350	15.630	0.138	397.00	3.50		X		
M38000-500	14.961	0.197	380.00	5.00		X			M39700-400	15.630	0.157	397.00	4.00		X		
2-384	14.975	0.210	380.37	5.33	X		X		M39700-500	15.630	0.197	397.00	5.00		X		
2-459	14.975	0.275	380.37	6.99	X		X X		M39800-350	15.669	0.138	398.00	3.50		X		
2-281	14.984	0.139	380.59	3.53	X		X		M39800-400	15.669	0.157	398.00	4.00		X		
M38100-350	15.000	0.138	381.00	3.50		X			M39800-500	15.669	0.197	398.00	5.00		X		
M38100-400	15.000	0.157	381.00	4.00		X			M39900-350	15.709	0.138	399.00	3.50		X		
M38100-500	15.000	0.197	381.00	5.00		X			M39900-400	15.709	0.157	399.00	4.00		X		
M38200-350	15.039	0.138	382.00	3.50		X			M39930-570	15.720	0.224	399.30	5.70		X	X	
M38200-400	15.039	0.157	382.00	4.00		X			M39950-840	15.728	0.331	399.50	8.40				P400
M38200-500	15.039	0.197	382.00	5.00		X			M40000-350	15.748	0.138	400.00	3.50		X		
M38300-350	15.079	0.138	383.00	3.50		X			M40000-400	15.748	0.157	400.00	4.00		X		
M38300-400	15.079	0.157	383.00	4.00		X			M40000-530	15.748	0.209	400.00	5.30	X			
M38300-500	15.079	0.197	383.00	5.00		X			M40000-700	15.748	0.276	400.00	7.00	X			
M38400-350	15.118	0.138	384.00	3.50		X			M40100-350	15.787	0.138	401.00	3.50		X		
M38400-400	15.118	0.157	384.00	4.00		X			M40100-400	15.787	0.157	401.00	4.00		X		
M38400-500	15.118	0.197	384.00	5.00		X			M40200-350	15.827	0.138	402.00	3.50		X		
M38450-840	15.138	0.331	384.50	8.40				P385	M40200-400	15.827	0.157	402.00	4.00		X		
M38500-350	15.157	0.138	385.00	3.50		X			M40300-350	15.866	0.138	403.00	3.50		X		
M38500-400	15.157	0.157	385.00	4.00		X			M40300-400	15.866	0.157	403.00	4.00		X		
M38500-500	15.157	0.197	385.00	5.00		X			M40400-350	15.906	0.138	404.00	3.50		X		
M38600-350	15.197	0.138	386.00	3.50		X			M40400-400	15.906	0.157	404.00	4.00		X		
M38600-400	15.197	0.157	386.00	4.00		X			M40500-350	15.945	0.138	405.00	3.50		X		
M38600-500	15.197	0.197	386.00	5.00		X			M40500-400	15.945	0.157	405.00	4.00		X		
M38700-350	15.236	0.138	387.00	3.50		X			2-282	15.955	0.139	405.26	3.53	X		X	
M38700-400	15.236	0.157	387.00	4.00		X			2-385	15.955	0.210	405.26	5.33	X		X	
M38700-500	15.236	0.197	387.00	5.00		X			2-461	15.955	0.275	405.26	6.99	X		X	
M38700-530	15.236	0.209	387.00	5.30	X				M40600-350	15.984	0.138	406.00	3.50		X		
M38700-700	15.236	0.276	387.00	7.00	X				M40600-400	15.984	0.157	406.00	4.00		X		
M38800-350	15.276	0.138	388.00	3.50		X			M40700-350	16.024	0.138	407.00	3.50		X		
M38800-400	15.276	0.157	388.00	4.00		X			M40700-400	16.024	0.157	407.00	4.00		X		
M38800-500	15.276	0.197	388.00	5.00		X			M40800-350	16.063	0.138	408.00	3.50		X		
M38900-350	15.315	0.138	389.00	3.50		X			M40800-400	16.063	0.157	408.00	4.00		X		
M38900-400	15.315	0.157	389.00	4.00		X			M40900-350	16.102	0.138	409.00	3.50		X		
M38900-500	15.315	0.197	389.00	5.00		X			M40900-400	16.102	0.157	409.00	4.00		X		
M39000-350	15.354	0.138	390.00	3.50		X			M41000-350	16.142	0.138	410.00	3.50		X		
M39000-400	15.354	0.157	390.00	4.00		X			M41000-400	16.142	0.157	410.00	4.00		X		
M39000-500	15.354	0.197	390.00	5.00		X			M41100-350	16.181	0.138	411.00	3.50		X		
M39100-350	15.394	0.138	391.00	3.50		X			M41100-400	16.181	0.157	411.00	4.00		X		
M39100-400	15.394	0.157	391.00	4.00		X			M41200-350	16.220	0.138	412.00	3.50		X		
M39100-500	15.394	0.197	391.00	5.00		X			M41200-400	16.220	0.157	412.00	4.00		X		
M39200-350	15.433	0.138	392.00	3.50		X			M41200-700	16.220	0.276	412.00	7.00	X			
M39200-400	15.433	0.157	392.00	4.00		X			M41300-350	16.260	0.138	413.00	3.50		X		
M39200-500	15.433	0.197	392.00	5.00		X			M41300-400	16.260	0.157	413.00	4.00		X		
M39300-350	15.472	0.138	393.00	3.50		X			M41400-350	16.299	0.138	414.00	3.50		X		
M39300-400	15.472	0.157	393.00	4.00		X			M41400-400	16.299	0.157	414.00	4.00		X		
M39300-500	15.472	0.197	393.00	5.00		X			M41500-350	16.339	0.138	415.00	3.50		X		
2-460	15.475	0.275	393.07	6.99	X		X X		M41500-400	16.339	0.157	415.00	4.00		X		
M39400-350	15.512	0.138	394.00	3.50		X			M41600-350	16.378	0.138	416.00	3.50		X		
M39400-400	15.512	0.157	394.00	4.00		X			M41600-400	16.378	0.157	416.00	4.00		X		
M39400-500	15.512	0.197	394.00	5.00		X			M41700-350	16.417	0.138	417.00	3.50		X		

*Chart for comparison only. Not all sizes stocked.



O-Ring Size Comparison Chart, cont'd.

Part Numbers	ID (Inch)	Cross Sect. (Inch)	ID (MM)	Cross Sect. (MM)						
					AS568A ISO	SWEDEN	GERMANY	BRITAIN	FRANCE	JAPAN
M49000-400	19.291	0.157	490.00	4.00			X			
M49100-400	19.331	0.157	491.00	4.00			X			
M49200-400	19.370	0.157	492.00	4.00			X			
M49300-400	19.409	0.157	493.00	4.00			X			
M49400-400	19.449	0.157	494.00	4.00			X			
2-468	19.455	0.275	494.16	6.99	X			X		
M49500-400	19.488	0.157	495.00	4.00			X			
M49600-400	19.528	0.157	496.00	4.00			X			
M49700-400	19.567	0.157	497.00	4.00			X			
M49800-400	19.606	0.157	498.00	4.00			X			
M49900-400	19.646	0.157	499.00	4.00			X			
M49930-570	19.657	0.224	499.30	5.70		X		X		
M50000-400	19.685	0.157	500.00	4.00			X			
M50000-700	19.685	0.276	500.00	7.00	X					
2-389	19.955	0.210	506.86	5.33	X			X		
2-469	19.955	0.275	506.86	6.99	X			X		
M51500-700	20.276	0.276	515.00	7.00	X					
M52450-1000	20.650	0.394	524.50	10.00						V530
M53000-700	20.866	0.276	530.00	7.00	X					
2-390	20.955	0.210	532.26	5.33	X			X		
2-470	20.955	0.275	532.26	6.99	X			X		
M54500-700	21.457	0.276	545.00	7.00		X				
2-391	21.955	0.210	557.66	5.33	X			X		
2-471	21.955	0.275	557.66	6.99	X			X		
M56000-700	22.047	0.276	560.00	7.00		X				
M57900-1000	22.795	0.394	579.00	10.00						V585
M58000-700	22.835	0.276	580.00	7.00		X				
2-392	22.940	0.210	582.68	5.33	X			X		
2-472	22.940	0.275	582.68	6.99	X			X		
M60000-700	23.622	0.276	600.00	7.00		X				
2-393	23.940	0.210	608.08	5.33	X			X		
2-473	23.940	0.275	608.08	6.99	X			X		
M61500-700	24.213	0.276	615.00	7.00		X				
M63000-700	24.803	0.276	630.00	7.00		X				
2-394	24.940	0.210	633.48	5.33	X			X		
2-474	24.940	0.275	633.48	6.99	X			X		
M63350-1000	24.941	0.394	633.50	10.00						V640
M65000-700	25.591	0.276	650.00	7.00		X				
2-395	25.940	0.210	658.88	5.33	X			X		
2-475	25.940	0.275	658.88	6.99	X			X		
M67000-700	26.378	0.276	670.00	7.00		X				

*Chart for comparison only. Not all sizes stocked.

O-Rings For Boss Fittings (Sizing)

SIZE CHART			
UNIVERSAL SERIES DASH NOS.	FITTING SIZE	ACTUAL SIZE	
		I.D.	W.
3-901	3/32	0.185 ±.005	0.056 ±.003
3-902	1/8	0.239 ±.005	0.064 ±.003
3-903	3/16	0.301 ±.005	0.064 ±.003
3-904	1/4	0.351 ±.005	0.072 ±.003
3-905	5/16	0.414 ±.005	0.072 ±.003
3-906	3/8	0.468 ±.005	0.078 ±.003
3-907	7/16	0.530 ±.007	0.082 ±.003
3-908	1/2	0.644 ±.009	0.087 ±.003
3-909	9/16	0.706 ±.009	0.097 ±.003
3-910	5/8	0.755 ±.009	0.097 ±.004
3-911	11/16	0.863 ±.009	0.116 ±.004
3-912	3/4	0.924 ±.009	0.116 ±.004
3-913	13/16	0.986 ±.010	0.116 ±.004
3-914	7/8	1.047 ±.010	0.116 ±.004
3-916	1	1.171 ±.006	0.116 ±.003
3-918	1-1/8	1.355 ±.012	0.116 ±.004
3-920	1-1/4	1.475 ±.014	0.118 ±.004
3-924	1-1/2	1.720 ±.014	0.118 ±.004
3-928	1-3/4	2.090 ±.018	0.118 ±.004
3-932	2	2.337 ±.018	0.118 ±.004